

Product Datasheet model i-works 9194 270

**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

**Product
characteristics**

- safety spectacles with a sporty design: attractive appearance and robust quality
- metal-free
- uvex supravision coating technology
- duo component technology which combines hard and soft components, soft grip side arms, deliver non-slip fit without pressure points
- low profile side arms with practical hang cord attachment option
- can be easily combined with other PPE
- suitable for the uvex helmet IES
- suitable for construction applications

Technical details**Frame**

Material
Colour

Front piece

TPU
anthracite

Material
Colour

Temples

TPU / TPE
anthracite / grey

Manufacturer's ID
Applicable EN norm
Low-energy impact
Resistance to high
speed particles at
extremes of temp.
Conformity symbol

Marking


W
166
F (45 m/s)
T

CE

Lens

Material
Thickness
Coating
Colour
UV protection

PC
2,2 mm
uvex supravision excellence
grey
UV 400

	Marking
Filter	5-2,5 (DIN EN 172)
Manufacturer's ID code	W
Optical class	1
Low-energy impact	F (45 m/s)
Resistance to high speed particles at extremes of temp.	T
Surface resistance to fine particles	K
Antifog	N
Conformity symbol	CE
Factory symbol	
Miscellaneous	
Weight	
Packing	28 g
	1 spectacles per box
Standards	108 spectacles per cardboard box
	DIN EN 166 + DIN EN 172
PPE Category	Category II