



CF01 Full Face Mask

PRODUCT DESCRIPTION

Good Looking, Good Wearing best seller full face mask.

APPLICATION


CF01 full face mask can **ONLY** be used with STS CA series. Please refer to the back page for further information of filters.

KEY FEATURES

| | |
|------------------------------|--|
| <u>Lightness</u> | <u>One of the lightest full face mask available in the market.</u> |
| <u>Fitness and stability</u> | <u>Six-point head harness ensure maximum fitness and stability.</u> |
| <u>Good combination</u> | <u>Designed to use with a hard hats and coveralls.</u> |
| <u>3D Curve visor</u> | <u>Minimum distance between eyes and lens gives broad field of vision.</u> |
| <u>Easy breathing</u> | <u>Low inhalation resistance.</u> |

TECHNICAL DATA

| | |
|------------------|--|
| <u>Material</u> | <u>TPE (Thermoplastic elastomers)</u> |
| <u>Sizes</u> | <u>Small (S), Medium (M), Large (L)</u> |
| <u>Visor</u> | <u>Anti-scratch coated polycarbonate</u> |
| <u>Connector</u> | <u>"Twist lock" connectors for use with STS CA series filter range</u> |
| <u>Weight</u> | <u>Approx. 360g (without filters)</u> |
| <u>Approvals</u> | <u>EN 136 Class 1, AS/NZS 1716</u> |





















PARTS LIST

| No. | Part name | Order No. |
|-----|---------------------------------------|-----------|
| ① | Face Blank | - |
| ② | Visor | - |
| ③ | Filter - Please refer to table below. | |
| ④ | *Exhalation Valve | 50000 |
| ⑤ | Exhalation Valve Seat | - |
| ⑥ | Exhalation Valve Cover | - |
| ⑦ | *Inhalation Valve | 50121 |
| ⑧ | Inhalation Valve Seat | - |
| ⑨ | *Inner Mask Valve | 50122 |
| ⑩ | Inner Mask Valve Seat | - |
| | | S 41101 |
| ⑪ | *Inner Mask | M 41102 |
| | | L 41103 |
| ⑫ | Speech Diaphragm | - |
| ⑬ | *Head Harness | |
| ⑭ | *Button | 41401 |
| ⑮ | *Adjuster | |
| ⑯ | *Gasket | 50418 |

*=Spare parts available for purchase

COMPATIBLE FILTERS

| Type | Product Name | Appearance | Dia. [mm] | Height [mm] | Weight [g] | Filter Type | Colour Code | Packing Unit | Product Code |
|------------------|--------------|---|-----------|-------------|------------|----------------|---|--------------|--------------|
| Gas filters | CA-A1 |  | 82 | 24 | ≤ 55 | A1 |  | 20 pcs / box | 40201 |
| | CA-A2 |  | 82 | 34 | ≤ 80 | A2 |  | 20 pcs / box | 40202 |
| | CA-K1 |  | 82 | 34 | ≤ 125 | K1 |  | 20 pcs / box | 40204 |
| | CA-ABEK1 |  | 82 | 34 | ≤ 100 | A1, B1, E1, K1 |  | 20 pcs / box | 40203 |
| | CA-AX |  | 82 | 44 | ≤ 130 | AX |  | 10 pcs / box | 40225 |
| Particle filters | P2R |  | 77 | 21 | ≤ 22 | P2 R |  | 20 pcs / box | 40301 |
| | P3R |  | 77 | 21 | ≤ 22 | P3 R |  | 20 pcs / box | 40302 |
| | P2RC*1 |  | 86 | +14.5*2 | ≤ 20 | P2 NR |  | 28 pcs / box | 41521 |
| | P3RC*1 |  | 86 | +14.5*2 | ≤ 20 | P3 NR |  | 28 pcs / box | 41522 |

*1 P3RC and P2RC Particle Filter can only be used when attaching to gas filter CA Series, and used as combined filter
 *2 "+" shows the additional height when P3RC/P2RC is attached to each gas filter CA Series

MATERIALS

| Component | Material |
|------------------|---------------------------------|
| Face Blank | TPE (Thermoplastic elastomers) |
| Inner Mask | TPE (Thermoplastic elastomers) |
| Visor | Polycarbonate |
| Inhalation Valve | Silicone Rubber |
| Exhalation Valve | Silicone Rubber |
| Gasket | Silicone Rubber |
| Head Harness | TPU, Polybutylene terephthalate |

IMPORTANT NOTICE

All information contained in tables and notes have been compiled using skills and diligence. SHIGEMATSU WORKS CO., LTD. publishes such information in good faith however will not be responsible for any errors or omissions contained in this guide.